AMENDMENTS TO THE CLAIMS

Amendments to the claims:

This listing of claims will replace all prior versions, and listings, of claims in the

application:

1-11. (Canceled)

12. (Currently amended) A method of disseminating determining link metrics associated with

of quantum cryptographic links connecting a node to neighboring nodes in a quantum

cryptographic key distribution (QKD) network, comprising:

exchanging secret key bits between the node and with each of the neighboring nodes

using quantum cryptographic mechanisms via the quantum cryptographic links;

determining a respective number of available secret key bits exchanged between the node

and with each of the neighboring nodes; and

determining link metrics associated with each of the quantum cryptographic links based

on the respective number of secret key bits exchanged between the node and with the each of the

neighboring nodes; and

disseminating the link metrics from the node to the neighboring nodes for use in

transporting encryption keys for data encryption.

2

quantum cryptographic links further comprises:

13. (Currently amended) The method of claim 12, further comprising:

storing the respective secret key bits exchanged <u>between the node and with</u> each of the neighboring nodes, and <u>where wherein</u> determining the link metrics associated with each of the

determining a rate of change in a number of the stored respective secret key bits.

14. (Currently amended) The method of claim 12, further comprising:

storing the respective secret key bits exchanged <u>between the node and with</u> each of the neighboring nodes, and <u>where</u> <del>wherein determining the link metrics associated with each of the quantum cryptographic links further comprises:</del>

predicting availability of a number of the stored respective secret key bits.

15. (Currently amended) The method of claim 12, where disseminating the link metrics

comprises: further comprising:

disseminating the link metrics using link state routing protocols.

16. (Canceled)

17. (Currently amended) The method of claim 12 16, further comprising:

disseminating the link metrics associated with each of the quantum cryptographic links to other nodes in the network.

Reply to Office Action of September 4, 2008

18. (Currently amended) A computer-readable medium containing instructions for

controlling at least one processor to perform a method of disseminating determining link metrics

associated with of quantum cryptographic links connecting a node to neighboring nodes in a

quantum cryptographic key distribution (OKD) network, the method comprising:

sharing secret key bits between the node and with each of the neighboring nodes using

quantum cryptographic mechanisms via the quantum cryptographic links;

determining a respective number of secret key bits shared between the node and with the

each of the neighboring nodes; and

determining link metrics associated with each of the quantum cryptographic links based

on the respective number of secret key bits shared between the node and with the each of the

neighboring nodes; and

disseminating the link metrics from the node to the neighboring nodes for use in

transporting encryption keys for data encryption.

19. (Currently amended) A quantum cryptographic key distribution (QKD) node, comprising:

one or more quantum cryptographic link interfaces configured to:

exchange secret key bits with each neighboring node using quantum cryptographic

mechanisms via one or more quantum cryptographic links; and

processing logic configured to:

determine a respective number of secret key bits exchanged with each neighboring node,

and

4

determine <u>one or more</u> link metrics associated with each respective quantum cryptographic link of the one or more quantum cryptographic links based on the respective number of secret key bits exchanged with <u>each of</u> the neighboring <u>nodes</u> <u>nodes</u> <u>node</u>, and

disseminate the one or more link metrics from the QKD node to each of the neighboring nodes for use in transporting encryption keys for data encryption.

20. (Currently amended) A system for <u>disseminating determining</u> link metrics <u>associated</u> <u>with</u> of quantum cryptographic links connecting a node to neighboring nodes in a quantum cryptographic key distribution (QKD) network, comprising:

means for exchanging secret key bits <u>between the node and with</u> each of the neighboring nodes using quantum cryptographic mechanisms via <u>the</u> quantum cryptographic links;

means for determining a respective number of secret key bits exchanged <u>between the</u> node and <del>with</del> each of the neighboring nodes; <del>and</del>

means for determining link metrics associated with each respective quantum
cryptographic link based on the respective number of secret key bits exchanged between the
node and with each of the neighboring nodes; and

means for disseminating the link metrics from the node to the neighboring nodes for use in transporting encrypting keys for data encryption.

21. (Currently amended) A method <u>implemented at a node of determining a link metric for each direction along quantum cryptographic links</u> in a quantum cryptographic key distribution (QKD) network, comprising:

Application No. 10/799,177 Docket No.: BBNT-P01-015

Amendment dated January 5, 2009

Reply to Office Action of September 4, 2008

exchanging quantities of secret key bits between the node and neighboring nodes in the

QKD network using quantum cryptographic mechanisms over the quantum cryptographic links;

and

determining, at the node, link metrics for each direction along each respective quantum

cryptographic link of the quantum cryptographic links based on the exchanged quantities of

secret key bits; and

disseminating the link metrics from the node to the neighboring nodes for use in

transporting encryption keys for data encryption.

22. (Currently amended) The method of claim 21, where disseminating the links metrics

comprises: further comprising:

disseminating the link metrics using link state routing protocols.

23. (Canceled)

(Currently amended) The method of claim 21 23, further comprising:

disseminating the link metrics associated with each respective quantum cryptographic

link to other nodes in the network.

25-27. (Canceled)

6